



CASH JING 
JAAN-HUEI INDUSTRIAL CO., LTD
Since 1987



HAND (MANUAL) PUMPS

- ✓ Buyer's Logo Offered
- ✓ Patented Products
- ✓ Made In Taiwan

Website: www.hand-pump.com.tw
E-mail: jaan.huei@msa.hinet.net



HAND (MANUAL) PUMPS

HIGH-FLOW LEVER ACTION DRUM PUMP.....	P.1
HIGH FLOW PUMP (1000 c.c.).....	P.2
HIGH-FLOW PLASTIC ROTARY PUMP.....	P.4
ADBLUE/DEF ROTARY PUMP.....	P.5
PLASTIC ROTARY PUMP.....	P.6
LEVER ACTION DRUM PUMP.....	P.7
HIGH-QUALITY CHEMICAL PISTON PUMP.....	P.8
THREE VANES / STAINLESS STEEL PUMP.....	P.9
ALUMINUM ROTARY PUMP.....	P.10
METAL ROTARY PUMP.....	P.11
PISTON PUMP.....	P.12
METAL PISTON PUMP.....	P.13
SYPHON & WATER PUMP.....	P.14
DRUM ADAPTORS.....	P.15
DRUM FAUCETS / WRENCHES.....	P.16

Liquids Application Chart

✓ : Available

△ : The product use life is not long.

**Without both marks: no recommend.*



HIGH-FLOW LEVER ACTION DRUM PUMP

L-P490



Wetted material:
PP, PE, Steel.
Weight (N.W/G.W):
11 / 12 KGS, 2.2'

L-P490S



Wetted material:
PP, PE, 304SS.
Weight (N.W/G.W):
12.5 / 13.5 KGS, 2.2'

L-T490S



Wetted material:
PTFE, PVDF, 316SS.
Weight (N.W/G.W):
17 / 18KGS, 2.2'

L-R490S / L-R490ST

L-R490S
Wetted material:
PP, PPS, 316SS.
L-R490ST
Wetted material:
PP, PPS, 316SS, PTFE.
Weight (N.W/G.W):
16 / 17 KGS, 2.2'



	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Alcohol	Vinegar	Thinner
L-P490	✓	✓	✓							
L-P490S	✓	✓	✓	✓	✓				△	
L-R490S	✓	✓	✓	✓	✓		✓		✓	
L-R490ST	✓	✓	✓	✓	✓	△	✓	✓	✓	△
L-T490S	✓	✓	✓	✓	✓	△	✓	✓	✓	△

HIGH FLOW PUMP (1000c.c.)

RP-32



RP-32H



Zinc Alloy
Nozzle+
Fastener

RP-32-1



Transverse
Outlet

RP-32-1H



Transverse
Outlet+
Steel Nozzle

ALL:

- ▶ **Wetted material:** Aluminum Alloy, Zinc Alloy, Steel.
- ▶ **With one PE hose, Tube.**
- ▶ **Applicable:** 15, 30, 55 Gallon Drum.
- ▶ **Capacity:** 1000 c.c.(1 Liter) per rotation.
- ▶ **Standard Packing:** 5 PCS/CTN (Corrugated Box)
- ▶ **Weight (N.W/G.W):** 27.5 / 29 KGS, 3.2'

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Gasoline
ALL	✓	✓	✓	△


HIGH FLOW PUMP (1000c.c.)

RP32-2



Standard Packing: 3 PCS/CTN (White Box)
Weight (N.W/G.W): 23 / 25 KGS, 4.7'

RP-32-3



One Filter
Standard Packing: 3 PCS/CTN (White Box)
Weight (N.W/G.W): 24 / 26 KGS, 4.7'

RP-32R



Standard Packing: 4 PCS/CTN (Corrugated Box)
Weight (N.W/G.W): 19 / 21 KGS, 2.7'

RP32-2, RP32-3:

- ▶ **Wetted material:** Aluminum Alloy, Zinc Alloy, Steel.
- ▶ **With one Black Rubber Hose, two Suction Tubes.**
- ▶ **Applicable:** 15,30, 55 Gallon Drum.

RP-32R:

- ▶ **Wetted material:** FKM, PPS, 304SS, 316SS.
- ▶ **With one PE hose, three Suction Tubes.**
- ▶ **Applicable:** 5 to 55 Gallon Drum.

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Gasoline	Weak Acid & Alkaline	Chemical	Vinegar
RP32-2 / RP32-3	✓	✓	✓	△			
RP-32R	✓	✓	✓	△	✓	✓	✓

HIGH-FLOW PLASTIC ROTARY PUMP

**RP-150P
RP-150PT**



RP-150P
Wetted material:
FKM, PP, PPS, 316SS.

RP-150PT
Wetted material:
PP, PPS, PTFE, 316SS.
Weight (N.W/G.W):
13.5 / 14.5 KGS, 2.2'

RP-150R



Wetted material:
PP, PPS, PTFE, 316SS.
Weight (N.W/G.W):
15.5 / 16.5 KGS, 2.2'

**RP-150RR
RP-150RT**



Wetted material:
PPS, PTFE, 304SS,
316SS.
Weight (N.W/G.W):
15.5 / 16.5 KGS, 2.2'

**RP-150RS
RP-150RTS**



RP-150RS
Wetted material:
PPS, PTFE, 304SS, 316SS.
RP-150RTS
Wetted material:
PPS, PTFE, 304SS, 316SS.
Weight (N.W/G.W):
20 / 21 KGS, 2.2'

ALL:



- ▶ **Applicable:** 5 to 55 Gallon Drum.
- ▶ **Capacity:** 400 c.c. per rotation.
- ▶ **Standard Packing:** 1 PC/COLOR BOX; 6 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar	Alcohol
RP-150P	✓	✓	✓	△	✓			✓	
RP-150PT	✓	✓	✓	△	✓			✓	
RP-150R	✓	✓	✓	✓	✓		✓	✓	✓
RP-150RR RP-150RT RP-150RS RP-150RTS	✓	✓	✓	✓	✓	△	✓	✓	✓

ADBLUE/DEF ROTARY PUMP

<p>RP-90PP</p> 	<p>RP-90PD</p> 	<p>RP-90PDH</p>  <p>+ hose</p>	<p>RP-90RD</p> 
<p>Wetted material: FKM, PP, PPS, 316SS; PE hose. Weight (N.W/G.W): 15.6 / 16.5 KGS, 2.7'</p>	<p>Wetted material: FKM, PP, PPS, 316SS. Weight (N.W/G.W): 13 / 14 KGS, 2.2'</p>	<p>Wetted material: Same as RP-90PD, 316SS; PE hose. Weight (N.W/G.W): 13.5 / 14.5 KGS, 2.2'</p>	<p>Wetted material: PP, PPS, PTFE, 316SS. Weight (N.W/G.W): 14 / 15 KGS, 2.2'</p>

The outlet can be freely rotated from 0° to 360°


<p>RP-90RRD</p> 	<p>RP-90RTSD</p> 	<p>ALL:</p> <ul style="list-style-type: none"> ▶ Applicable: 5 to 55 Gallon Drum. ▶ Capacity: 280 c.c. per rotation. ▶ Standard Packing: 1 PC/COLOR BOX; 6 PCS/CTN
<p>Wetted material: PPS, PTFE, 304SS, 316SS. Weight (N.W/G.W): 16.5 / 17.5 KGS, 2.2'</p>	<p>Wetted material: PPS, PTFE , 304SS, 316SS. Weight (N.W/G.W): 19.5 / 20.5 KGS, 2.2'</p>	

	AdBlue/DEF	Diesel Fuel/Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar	Alcohol
RP-90PP										
RP-90PD	✓	✓	✓	✓	△	✓			✓	
RP-90PDH										
RP-90RD	✓	✓	✓	✓	✓	✓		✓	✓	
RP-90RRD										
RP-90RTSD	✓	✓	✓	✓	✓	✓	△	✓	✓	✓

PLASTIC ROTARY PUMP

<p>RP-90P RP-90PT</p> 	<p>RP-90R</p> 	<p>RP-90PVDF</p> 	<p>RP-90RR RP-90RT</p> 
<p>RP-90P Wetted material: FKM, PP, PPS, 316SS. RP-90PT Wetted material: PP, PPS, 316SS, PTFE. Weight (N.W/G.W): 13 / 14 KGS, 2.2'</p>	<p>Wetted material: PP, PPS, PTFE, 316SS. Weight (N.W/G.W): 14 / 15 KGS, 2.2'</p>	<p>Wetted material: PTFE, PVDF. Weight (N.W/G.W): 16.5 / 17.5 KGS, 2.2'</p>	<p>Wetted material: PPS, PTFE, 304SS, 316SS. Weight (N.W/G.W): 16.5 / 17.5 KGS, 2.2'</p>

The outlet can be freely rotated from 0° to 360°

<p>RP-90RS / RP-90RTS</p> 	<p>RP-90RS Wetted material: PPS, PTFE, 304SS, 316SS. RP-90RTS Wetted material: PPS, PTFE, 304SS, 316SS. Weight (N.W/G.W): 17 / 18 KGS, 2.2'</p>	<p>ALL:</p> <ul style="list-style-type: none"> ▶ Applicable: 5 to 55 Gallon Drum. ▶ Capacity: 280 c.c. per rotation. ▶ Standard Packing: 1 PC/COLOR BOX; 6 PCS/CTN
--	--	---

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Chlorine	Vinegar	Alcohol
RP-90P	✓	✓	✓	△	✓				✓	
RP-90PT	✓	✓	✓	△	✓				✓	✓
RP-90R	✓	✓	✓	✓	✓		✓		✓	✓
RP-90RR RP-90RT RP-90RS RP-90RTS	✓	✓	✓	✓	✓	△	✓		✓	✓
RP-90PVDF	✓	✓	✓	✓	✓	△	✓	✓	✓	✓

LEVER ACTION DRUM PUMP

P-490



Wetted material:
PP, PE, Steel.
Weight (N.W/G.W):
10 / 11 KGS, 2'

P-490S



Wetted material:
PP, PE, 304SS.
Weight (N.W/G.W):
11 / 12 KGS, 2'

**R-490S
R-490ST**



**R-490S
Wetted material:**
PP, PPS, 316SS.
Weight (N.W/G.W):
15 / 16 KGS, 2'

**R-490ST
Wetted material:**
PP, PPS, 316SS, PTFE.
Weight (N.W/G.W):
15.5 / 16.5 KGS, 2'

T-490S



Wetted material:
PTFE, PVDF, 316SS.
Weight (N.W/G.W):
14.5 / 15.5 KGS, 2'

RP-490S



Wetted material:
PTFE, PVDF, 304SS.
Weight (N.W/G.W):
21.9 / 23.9 KGS, 2.2'

ALL:

- ▶ **Applicable:** 5 to 55 Gallon Drum.
- ▶ **Capacity:** 300 c.c. per push.
- ▶ **Standard Packing:**
1 PC/COLOR BOX; 10 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Alcohol	Vinegar	Thinner
P-490	✓	✓	✓							
P-490S	✓	✓	✓	✓	✓				△	
R-490S	✓	✓	✓	✓	✓		✓		✓	
R-490ST	✓	✓	✓	✓	✓	△	✓	✓	✓	△
T-490S	✓	✓	✓	✓	✓	△	✓	✓	✓	△
RP-490S	✓	✓	✓	✓	✓	△		✓	✓	△

HIGH-QUALITY CHEMICAL PISTON PUMP

**RP-20P
RP-20PT**



RP-20P
Wetted material:
PP, PE, PPS, 304SS, 316SS.

RP-20PT
Wetted material:
PP, PE, PPS, PTFE, 304SS, 316SS.
Weight (N.W/G.W):
13 / 14.5 KGS, 3.2'

RP-20R



Wetted material:
PP, PE, PPS, 304SS, 316SS.
Weight (N.W/G.W):
14.5 / 16 KGS, 3.2'

RP-20RT



Wetted material:
PP, PE, PPS, 304SS, 316SS.
Weight (N.W/G.W):
14.5 / 16 KGS, 3.2'

ALL:

- ▶ **Applicable:** 5 to 55 Gallon Drum.
- ▶ **Capacity:** 400 c.c. per push.
- ▶ **Standard Packing:** 1 PC/COLOR BOX; 4 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar/ Alcohol	Thinner
RP-20P RP-20PT	✓	✓	✓	△	✓			✓	
RP-20R	✓	✓	✓	△	✓		✓	✓	
RP-20RT	✓	✓	✓	✓	✓	△	✓	✓	△

THREE VANES ROTARY PUMP

RP-8803



Material: PPS, PTFE
Capacity: 400 c.c.
Standard Packing: 1 PC/ Corrugated Box; 6 PCS/CTN
Weight (N.W/G.W): 18 / 19 KGS, 2.5'

RP-8803S



Material: PPS, 304SS, PTFE
Capacity: 400 c.c.
Standard Packing: 1 PC/ Corrugated Box; 6 PCS/CTN
Weight (N.W/G.W): 18 / 19 KGS, 2.5'

STAINLESS STEEL PUMP

RP-8804



Material: 304SS, PTFE
Capacity: 280 c.c.
Standard Packing: 1 PC/ WHITE BOX; 4 PCS/CTN
Weight (N.W/G.W): 24 / 25 KGS, 1.5'

RP-219 / RP-219S



Material: 304SS, PVDF, PTFE
Capacity: 350 c.c.
Standard Packing: 1 PC/ COLOR BOX; 4 PCS/CTN
Weight (N.W/G.W): 22 / 23 KGS, 1.5'

RP-8803, RP-8803S, RP-8804, RP-219:

► **Applicable:** 5 to 55 Gallon Drum

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar/ Alcohol	Thinner
ALL	✓	✓	✓	✓	✓	△	✓	✓	△

ALUMINUM ROTARY PUMP

*SPOUT AND SUCTION TUBES ARE PLATED STEEL.

RP-90A



+ hose

RP-90AH



- RP-90A, PR-90AH:**
- ▶ 1 tube only
 - ▶ **Applicable:**
55 Gallon Drum.
 - ▶ **Capacity:**
280 c.c. per rotation.
 - ▶ **Standard Packing:**
1 PC/ Corrugated Box;
6 PCS/CTN

Wetted material:
Aluminum Alloy, PPS, NBR.
Weight (N.W/G.W):
16.5 / 17.5 KGS, 1.4'

Weight (N.W/G.W):
17 / 18 KGS, 1.54'

RP-91A



+ hose

RP-91AH



- RP-91A, RP-91AH:**
- ▶ 3 suction tubes
 - ▶ **Applicable:**
5 to 55 Gallon Drum.
 - ▶ **Capacity:**
280 c.c. per rotation.
 - ▶ **Standard Packing:**
1 PC/ White Box;
4 PCS/CTN

Wetted material:
Aluminum Alloy, PPS, NBR.
Weight (N.W/G.W):
12.5 / 13.5 KGS, 1.4'

Weight (N.W/G.W):
12.5 / 13.5 KGS, 1.4'

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Antifreeze
ALL	✓	✓	✓	✓

METAL ROTARY PUMP

HC-25



Weight (N.W/G.W):
31.5 / 32.5 KGS, 1.4'

SB-25



With PE hose.
Weight (N.W/G.W):
32 / 33 KGS, 1.54'

ALL:

Wetted material:
Cast Iron, Steel.

Capacity:
280 c.c. per rotation.

HC-25, SB-25:

- ▶ **1 tube**
- ▶ **Applicable:**
55 Gallon Drum.
- ▶ **Standard Packing:**
1 PC/ Color Box;
6 PCS/CTN

SHC-25



Weight (N.W/G.W):
22.5 / 23.5 KGS, 1.4'

SSB-25



With PE hose.
Weight (N.W/G.W):
22.5 / 23.5 KGS, 1.4'


SHC-25, SSB-25:

- ▶ **3 suction tubes**
- ▶ **Applicable:**
5 to 55 Gallon Drum.
- ▶ **Standard Packing:**
1 PC/ White Box;
4 PCS/CTN

	Kerosene	Machine Oil	Low-Viscosity Lubricant
ALL	✓	✓	✓

PISTON PUMP

<p>8806</p> 	<p>H-304SP/H-304ST H-316ST</p> 	<p>RP-50P</p> 	<p>RP-50PH</p> 
<p>Wetted material: Plated component. Weight (N.W/G.W): 24 / 26 KGS, 3.4'</p>	<p>H-304S Wetted material: PP, 304SS. H-304ST Wetted material: PVDF/PTFE, 304SS. H-316ST Wetted material: PVDF/PTFE, 304SS, 316SS. Weight (N.W/G.W): 24.5 / 26.5 KGS, 3.4'</p>	<p>RP-50P Wetted material: FKM, PVC. RP-50PH Wetted material: Same as RP-50P; PE hose. Weight (N.W/G.W): 10 / 12 KGS, 3.4'</p>	

<p>S-25</p> 	<p>Wetted material: Plated component, PP piston. Weight (N.W/G.W): 18.5 / 19.5 KGS, 2.6'</p>	<p>ALL: (not included S-25)</p> <ul style="list-style-type: none"> ▶ Applicable: 55 Gallon Drum ▶ Capacity: 500 c.c. per stroke. ▶ Standard Packing: 12 PCS/CTN <p>S-25:</p> <ul style="list-style-type: none"> ▶ Applicable: 5.55 Gallon Drum ▶ Capacity: 240 c.c. per stroke. ▶ Standard Packing: 24 PCS/CTN 	
--	--	--	--

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Alcohol	Vinegar
S-25 8806	✓	✓	✓						
H-304SP	✓	✓	✓		✓				✓
H-304ST	✓	✓	✓	✓	✓	△	✓	✓	✓
H-316ST	✓	✓	✓	✓	✓	△	✓	✓	✓
RP-50P(H)	✓	✓	✓		✓				

METAL PISTON PUMP

8805G	8805ATF	8805D	8815G	8815ATF
5 Gallon Drum			15 Gallon Drum	
Weight (N.W/G.W): 21.5 / 22.5 KGS, 3.1'		Weight (N.W/G.W): 17 / 18 KGS, 1.6'	Weight (N.W/G.W): 21 / 22 KGS, 3.9'	Weight (N.W/G.W): 24 / 26 KGS, 3.9'

8805G, 8805ATF, 8805D, 8815G, 8815ATF:

- ▶ **Wetted material:** Steel, Nylon.
- ▶ **Capacity:** 70 c.c. per stroke.
- ▶ **Standard Packing:** 1 PC/ Poly Bag ; 24 PCS/CTN

*Item Number+"L": for extend to 120 MM of red pipe length.

RP-825	RP-835
Applicable: 5 Gallon Drum (20L)	Applicable: 15 Gallon Drum (60L)
Capacity: 300 c.c. per stroke.	Capacity: 500 c.c. per stroke.
Standard Packing: 1 PC/ White Box; 10 PCS/CTN	Standard Packing: 1 PC/ White Box; 6 PCS/CTN
Weight (N.W/G.W): 23 / 25 KGS, 3.5'	Weight (N.W/G.W): 16.9 / 18.9 KGS, 3'
5 Gallon Drum	15 Gallon Drum

RP-825, RP-835:

- ▶ **Wetted material:** Steel, Zinc, PE, PVC & NBR.

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant
8805G / 8805ATF / 8805D 8815G / 8815ATF	✓	✓	✓
RP-825 / RP-835		✓	✓

SYPHON & WATER PUMP

4A-HDPE



Applicable: 55 Gallon Drum
Capacity: 120 c.c. per stroke.
Standard Packing:
 1 PC/ Poly Bag; 32 PCS/CTN
Weight (N.W/G.W):
 13 / 14 KGS, 6.3'

4A



Applicable: 55 Gallon Drum
Capacity: 80 c.c. per stroke.
Standard Packing:
 1 PC/ Poly Bag; 30 PCS/CTN
Weight (N.W/G.W):
 10.5 / 11.5 KGS, 4.6'

1B



Applicable: 5 Gallon Drum
Capacity: 60 c.c. per stroke.
Standard Packing:
 1 PC/ Poly Bag; 100 PCS/CTN
Weight (N.W/G.W):
 7.6 / 9 KGS, 4.2'

4A-HDPE, 4A, 1B ▶ Wetted material: PE Component.

JW-81



Material: Steel, Aluminum, PVC
Capacity: 0.13oz per push.
Standard Packing:
 1 PC/ BOX; 20 PCS/CTN
Weight (N.W/G.W): 6/7.3 KGS, 2.5'

WP-2



Standard Packing:
 1 PC/ COLOR BOX; 24 PCS/CTN
Weight (N.W/G.W):
 7 / 8 KGS, 3.8'

WP-3



Standard Packing:
 1 PC/ COLOR BOX; 12 PCS/CTN
Weight (N.W/G.W):
 10 / 11 KGS, 5.8'

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water
4A-HDPE / 4A / 1B	✓	✓	✓	✓	✓
JW-81	✓				
WP-2 / WP-3					✓

DRUM ADAPTORS

PA01



- Orange Color
- 2" BSP + 2" TRI-SURE (1"-11 thread + P4)
- Package: 504 pcs/ CTN/ 16.5kgs/ 17.5kgs/ 2.9'

PA02



- Yellow Color
- 2" BSP + DIN61 (1"-11 thread + P5.5)
- Package: 480 pcs/ CTN/ 19.1kgs/ 20.5 kgs/4.1'

PA03



- Blue Color
- 2" BSP + 2" Mauser (1"-11 thread + P5.5)
- Package: 420 pcs/ CTN/ 16.8kgs/ 17.8kgs/ 3.8'

PA04



- Black Color
- 2" Mauser (P5.5)
- Package: 210 pcs/ CTN/ 18.5kgs/ 19.5kgs/ 3'

PA05



- Black Color
- 2" BSP + 2" TRI-SURE (1"-11 thread + P4)
- Package: 500 pcs/ CTN/ 20kgs/ 21kgs/ 3.4'

J/U



- J: for USA drum
- U: for Japanese drum

M



- M: for PP drum

E



- E: for Recycle drum

DRUM FAUCETS / WRENCHES

<p>JH-301</p>	<p>JH-302</p>	<p>JH-303</p>	<p>JH-304</p>
			
<p>2" BRASS HEAVY DRUM FAUCET 6 PCS / CTN / 17.5/18.5KGS / 1.2'</p>	<p>2" BRASS VENT 40 PCS / CTN / 16/17KGS / 0.6'</p>	<p>¾" BRASS DRUM BARREL FAUCET 40 PCS / CTN / 25/26KGS / 1.65'</p>	<p>¾" BRASS ADJUSTABLE FAUCET 40 PCS / CTN / 24/25KGS / 1.65'</p>
<p>JH-305</p>	<p>JH-306</p>	<p>JH-308</p>	<p>JH-309</p>
			
<p>¾" STAINLESS STEEL ADJUSTABLE FAUCET 40 PCS / CTN / 22/23KGS / 1.65'</p>	<p>DUCTILE UNIVERSAL DRUM PLUG WRENCHES 12 PCS / CTN / 14.5/15.5KGS / 1.6'</p>	<p>BRASS NON-SPARKING DRUM PLUG WRENCHES 24 PCS / CTN / 19/20KGS / 1.5'</p>	<p>BRASS NON-SPARKING DRUM PLUG WRENCHES 24 PCS / CTN / 19/20KGS / 1.8'</p>
<p>JH-311</p>	<p>JH-312</p>	<p>JH32-0102</p>	<p>JH32-0103</p>
			
<p>ZINC DIE CAST FAUCETS WITH SCREEN 80 PCS / CTN / 19/20KGS / 1.65'</p>	<p>ZINC DIE CAST FAUCETS WITHOUT SCREEN 80 PCS / CTN / 18.5/19.5KGS / 1.65'</p>	<p>DUCTILE UNIVERSAL DRUM PLUG WRENCHES 12 PCS / CTN / 20/21KGS / 1.3'</p>	<p>BRASS NON-SPARKING DRUM PLUG WRENCHES 12 PCS / CTN / 20.9/21.9KGS / 1.3'</p>



CASH JING 

JAAN-HUEI INDUSTRIAL CO., LTD

Since 1987

JAAN-HUEI INDUSTRIAL CO., LTD

CHEWREN

CHEWREN

LEVER ACTION DRUM PUMP
PISTON PUMP



L-P490
JAAN-HUEI



www.hand-pump.com.tw

HIGH FLOW PUMP (PLASTIC)
PLASTIC ROTARY PUMP



HIGH FLOW PUMP
ALUMINUM ROTARY PUMP



CASH JING 
JAAN-HUEI
www.hand-pump.com.tw
MADE IN TAIWAN

No. 328, Keliao Rd., Longjing Dist.,
Taichung City 434, Taiwan

Website: www.hand-pump.com.tw

E-mail: jaan.huei@msa.hinet.net