



**CASH JING**   
JAAN-HUEI INDUSTRIAL CO., LTD  
Since 1987



# HAND (MANUAL) PUMPS

- ✓ Buyer's Logo Offered
- ✓ Patented Products
- ✓ Made In Taiwan

Website: [www.hand-pump.com.tw](http://www.hand-pump.com.tw)  
E-mail: [jaan.huei@msa.hinet.net](mailto:jaan.huei@msa.hinet.net)



# HAND (MANUAL) PUMPS

HIGH-FLOW LEVER ACTION DRUM PUMP.....	P.1
HIGH FLOW PUMP (1000 c.c.).....	P.2
HIGH-FLOW PLASTIC ROTARY PUMP.....	P.4
ADBLUE/DEF ROTARY PUMP.....	P.5
PLASTIC ROTARY PUMP.....	P.6
LEVER ACTION DRUM PUMP.....	P.7
HIGH-QUALITY CHEMICAL PISTON PUMP.....	P.8
THREE VANES / STAINLESS STEEL PUMP.....	P.9
ALUMINUM ROTARY PUMP.....	P.10
METAL ROTARY PUMP.....	P.11
PISTON PUMP.....	P.12
METAL PISTON PUMP.....	P.13
SYPHON & WATER PUMP.....	P.14
DRUM ADAPTORS.....	P.15
DRUM FAUCETS / WRENCHES.....	P.16

## **Liquids Application Chart**

✓ : Available

△ : The product use life is not long.

*\*Without both marks: no recommend.*



# HIGH-FLOW LEVER ACTION DRUM PUMP

**L-P490**



**Wetted material:**  
PP, PE, Steel.  
**Weight (N.W/G.W):**  
11 / 12 KGS, 2.2'

**L-P490S**



**Wetted material:**  
PP, PE, 304SS.  
**Weight (N.W/G.W):**  
12.5 / 13.5 KGS, 2.2'

**L-T490S**



**Wetted material:**  
PTFE, PVDF, 316SS.  
**Weight (N.W/G.W):**  
17 / 18KGS, 2.2'

**L-R490S / L-R490ST**

**L-R490S**  
**Wetted material:**  
PP, PPS, 316SS.  
**L-R490ST**  
**Wetted material:**  
PP, PPS, 316SS, PTFE.  
**Weight (N.W/G.W):**  
16.7/17.7 KGS,2.2'



	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Alcohol	Vinegar	Thinner
L-P490	✓	✓	✓							
L-P490S	✓	✓	✓	✓	✓				△	
L-R490S	✓	✓	✓	✓	✓		✓		✓	
L-R490ST	✓	✓	✓	✓	✓	✓	✓	✓	✓	△
L-T490S	✓	✓	✓	✓	✓	✓	✓	✓	✓	△

# HIGH FLOW PUMP (1000c.c.)

RP-32



RP-32H



Zinc Alloy Nozzle+ Fastener

RP-32-1



Transverse Outlet

RP-32-1H



Transverse Outlet+ Steel Nozzle

**ALL:**

- ▶ **Wetted material:** Aluminum Alloy, Zinc Alloy, Steel.
- ▶ **With one PE hose, Tube.**
- ▶ **Applicable:** 15, 30, 55 Gallon Drum.
- ▶ **Capacity:** 1000 c.c.(1 Liter) per rotation.
- ▶ **Standard Packing:** 5 PCS/CTN (Corrugated Box)
- ▶ **Weight (N.W/G.W):** 27.5 / 29 KGS, 3.2'

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Gasoline
ALL	✓	✓	✓	✓


# HIGH FLOW PUMP (1000c.c.)

## RP32-2



**Standard Packing:** 3 PCS/CTN (White Box)  
**Weight (N.W/G.W):** 23 / 25 KGS, 4.7'

## RP-32-3



**One Filter**  
**Standard Packing:** 3 PCS/CTN (White Box)  
**Weight (N.W/G.W):** 24 / 26 KGS, 4.7'

## RP-32R



**Standard Packing:** 4 PCS/CTN (Corrugated Box)  
**Weight (N.W/G.W):** 19 / 21 KGS, 2.7'

### RP32-2, RP32-3:

- ▶ **Wetted material:** Aluminum Alloy, Zinc Alloy, Steel.
- ▶ **With one Black Rubber Hose, two Suction Tubes.**
- ▶ **Applicable:** 15,30, 55 Gallon Drum.

### RP-32R:

- ▶ **Wetted material:** FKM, PPS, 304SS, 316SS.
- ▶ **With one PE hose, three Suction Tubes.**
- ▶ **Applicable:** 5 to 55 Gallon Drum.

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Gasoline	Weak Acid & Alkaline	Chemical	Alcohol
RP32-2 / RP32-3	✓	✓	✓	✓			
RP-32R	✓	✓	✓		✓	✓	

# HIGH-FLOW PLASTIC ROTARY PUMP

**RP-150P  
RP-150PT**



**RP-150P**  
**Wetted material:**  
FKM, PP, PPS, 316SS.

**RP-150PT**  
**Wetted material:**  
PP, PPS, PTFE, 316SS.  
**Weight (N.W/G.W):**  
13.5 / 14.5 KGS, 2.2'

**RP-150R**



**Wetted material:**  
PP, PPS, PTFE, 316SS.  
**Weight (N.W/G.W):**  
15.5 / 16.5 KGS, 2.2'

**RP-150RR  
RP-150RT**



**Wetted material:**  
PPS, PTFE, 304SS,  
316SS.  
**Weight (N.W/G.W):**  
17.5/18.5 KGS, 2.2'

**RP-150RS  
RP-150RTS**



**RP-150RS**  
**Wetted material:**  
PPS, PTFE, 304SS, 316SS.  
**RP-150RTS**  
**Wetted material:**  
PPS, PTFE, 304SS, 316SS.  
**Weight (N.W/G.W):**  
20 / 21 KGS, 2.2'

**ALL:**



- ▶ **Applicable:** 5 to 55 Gallon Drum.
- ▶ **Capacity:** 400 c.c. per rotation.
- ▶ **Standard Packing:** 1 PC/COLOR BOX; 6 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar	Alcohol
<b>RP-150P</b>	✓	✓	✓	△	✓			✓	
<b>RP-150PT</b>	✓	✓	✓	△	✓			✓	
<b>RP-150R</b>	✓	✓	✓	✓	✓		✓	✓	
<b>RP-150RR RP-150RT RP-150RS RP-150RTS</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓

# ADBLUE/DEF ROTARY PUMP

<p><b>RP-90PP</b></p> 	<p><b>RP-90PD</b></p> 	<p><b>RP-90PDH</b></p>  <p>+ hose</p>	<p><b>RP-90RD</b></p> 
<p><b>Wetted material:</b> FKM, PP, PPS, 316SS; PE hose. <b>Weight (N.W/G.W):</b> 15.6 / 16.5 KGS, 2.7'</p>	<p><b>Wetted material:</b> FKM, PP, PPS, 316SS. <b>Weight (N.W/G.W):</b> 13 / 14 KGS, 2.2'</p>	<p><b>Wetted material:</b> Same as RP-90PD, 316SS; PE hose. <b>Weight (N.W/G.W):</b> 13.5 / 14.5 KGS, 2.2'</p>	<p><b>Wetted material:</b> PP, PPS, PTFE, 316SS. <b>Weight (N.W/G.W):</b> 14 / 15 KGS, 2.2'</p>

The outlet can be freely rotated from 0° to 360°

<p><b>RP-90RRD</b></p> 	<p><b>RP-90RTSD</b></p> 	<p><b>ALL:</b></p> <ul style="list-style-type: none"> <li>▶ <b>Applicable:</b> 5 to 55 Gallon Drum.</li> <li>▶ <b>Capacity:</b> 280 c.c. per rotation.</li> <li>▶ <b>Standard Packing:</b> 1 PC/COLOR BOX; 6 PCS/CTN</li> </ul>
<p><b>Wetted material:</b> PPS, PTFE, 304SS, 316SS. <b>Weight (N.W/G.W):</b> 16.5 / 17.5 KGS, 2.2'</p>	<p><b>Wetted material:</b> PPS, PTFE , 304SS, 316SS. <b>Weight (N.W/G.W):</b> 19.5 / 20.5 KGS, 2.2'</p>	

	AdBlue/DEF	Diesel Fuel/Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar	Alcohol
<b>RP-90PP</b>										
<b>RP-90PD</b>	✓	✓	✓	✓	△	✓			✓	
<b>RP-90PDH</b>										
<b>RP-90RD</b>	✓	✓	✓	✓	✓	✓		✓	✓	
<b>RP-90RRD</b>										
<b>RP-90RTSD</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

# PLASTIC ROTARY PUMP



**RP-90P  
RP-90PT**

**RP-90P**  
Wetted material:  
FKM, PP, PPS, 316SS.

**RP-90PT**  
Wetted material:  
PP, PPS, 316SS, PTFE.  
Weight (N.W/G.W):  
13 / 14 KGS, 2.2'



**RP-90R**

**Wetted material:**  
PP, PPS, PTFE, 316SS.  
**Weight (N.W/G.W):**  
14 / 15 KGS, 2.2'



**RP-90PVDF**

**Wetted material:**  
PTFE, PVDF.  
**Weight (N.W/G.W):**  
16.5 / 17.5 KGS, 2.2'



**RP-90RR  
RP-90RT**

**Wetted material:**  
PPS, PTFE, 304SS,  
316SS.  
**Weight (N.W/G.W):**  
16.5 / 17.5 KGS, 2.2'

The outlet can be freely rotated from 0° to 360°

**RP-90RS / RP-90RTS**



**RP-90RS**  
Wetted material:  
PPS, PTFE, 304SS, 316SS.

**RP-90RTS**  
Wetted material:  
PPS, PTFE, 304SS, 316SS.  
Weight (N.W/G.W):  
17 / 18 KGS, 2.2'

- ALL:**
- ▶ **Applicable:** 5 to 55 Gallon Drum.
  - ▶ **Capacity:** 280 c.c. per rotation.
  - ▶ **Standard Packing:**  
1 PC/COLOR BOX; 6 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Chlorine	Vinegar	Alcohol
RP-90P	✓	✓	✓	△	✓				✓	
RP-90PT	✓	✓	✓	△	✓				✓	
RP-90R	✓	✓	✓	✓	✓		✓		✓	
RP-90RR RP-90RT RP-90RS RP-90RTS	✓	✓	✓	✓	✓	✓	✓		✓	✓
RP-90PVDF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

# LEVER ACTION DRUM PUMP

**P-490**



**Wetted material:**  
PP, PE, Steel.  
**Weight (N.W/G.W):**  
10 / 11 KGS, 2'

**P-490S**



**Wetted material:**  
PP, PE, 304SS.  
**Weight (N.W/G.W):**  
11 / 12 KGS, 2'

**R-490S**  
**R-490ST**



**R-490S**  
**Wetted material:**  
PP, PPS, 316SS.  
**Weight (N.W/G.W):**  
15 / 16 KGS, 2'


**R-490ST**  
**Wetted material:**  
PP, PPS, 316SS, PTFE.  
**Weight (N.W/G.W):**  
15.5 / 16.5 KGS, 2'

**T-490S**



**Wetted material:**  
PTFE, PVDF, 316SS.  
**Weight (N.W/G.W):**  
14.5 / 15.5 KGS, 2'

**RP-490S**



**Wetted material:**  
PTFE, PVDF, 304SS.  
**Weight (N.W/G.W):**  
21.9 / 23.9 KGS, 2.2'

**ALL:**

- ▶ **Applicable:** 5 to 55 Gallon Drum.
- ▶ **Capacity:** 300 c.c. per push.
- ▶ **Standard Packing:**  
1 PC/COLOR BOX; 10 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Alcohol	Vinegar	Thinner
<b>P-490</b>	✓	✓	✓							
<b>P-490S</b>	✓	✓	✓	✓	✓				△	
<b>R-490S</b>	✓	✓	✓	✓	✓		✓		✓	
<b>R-490ST</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	△
<b>T-490S</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	△
<b>RP-490S</b>	✓	✓	✓	✓	✓	✓		✓	✓	△

# HIGH-QUALITY CHEMICAL PISTON PUMP

**RP-20P  
RP-20PT**



**RP-20P**  
**Wetted material:**  
PP, PE, PPS, 304SS, 316SS.

**RP-20PT**  
**Wetted material:**  
PP, PE, PPS, PTFE, 304SS, 316SS.  
**Weight (N.W/G.W):**  
13 / 14.5 KGS, 3.2'

**RP-20R**



**Wetted material:**  
PP, PE, PPS, 304SS, 316SS.  
**Weight (N.W/G.W):**  
14.5 / 16 KGS, 3.2'

**RP-20RT**



**Wetted material:**  
PP, PE, PPS, 304SS, 316SS.  
**Weight (N.W/G.W):**  
14.5 / 16 KGS, 3.2'

**ALL:**

- ▶ **Applicable:** 5 to 55 Gallon Drum.
- ▶ **Capacity:** 700 c.c./pull up & down
- ▶ **Standard Packing:** 1 PC/COLOR BOX; 4 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar/ Alcohol	Thinner
<b>RP-20P RP-20PT</b>	✓	✓	✓	△	✓			✓	
<b>RP-20R</b>	✓	✓	✓	△	✓		✓	✓/✗	
<b>RP-20RT</b>	✓	✓	✓	✓	✓	✓	✓	✓	△

# THREE VANES ROTARY PUMP

**RP-8803**



**Material:** PPS, PTFE  
**Capacity:** 400 c.c.  
**Standard Packing:** 1 PC/ Corrugated Box; 6 PCS/CTN  
**Weight (N.W/G.W):** 18 / 19 KGS, 2.5'

**RP-8803S**



**Material:** PPS, 304SS, PTFE  
**Capacity:** 400 c.c.  
**Standard Packing:** 1 PC/ Corrugated Box; 6 PCS/CTN  
**Weight (N.W/G.W):** 18 / 19 KGS, 2.5'

# STAINLESS STEEL PUMP

**RP-8804**



**Material:** 304SS, PTFE  
**Capacity:** 280 c.c.  
**Standard Packing:** 1 PC/ WHITE BOX; 4 PCS/CTN  
**Weight (N.W/G.W):** 24 / 25 KGS, 1.5'

**RP-219 / RP-219S**



**Material:** 304SS, PVDF, PTFE  
**Capacity:** 350 c.c.  
**Standard Packing:** 1 PC/ COLOR BOX; 4 PCS/CTN  
**Weight (N.W/G.W):** 22 / 23 KGS, 1.5'

**RP-8803, RP-8803S, RP-8804, RP-219:**

► **Applicable:** 5 to 55 Gallon Drum

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Vinegar/ Alcohol	Thinner
<b>ALL</b>	✓	✓	✓	✓	✓	✓	✓	✓	△

# ALUMINUM ROTARY PUMP

\*SPOUT AND SUCTION TUBES ARE PLATED STEEL.

**RP-90A**



+ hose

**RP-90AH**



**Wetted material:**  
Aluminum Alloy, PPS, NBR.  
**Weight (N.W/G.W):**  
16.5 / 17.5 KGS, 1.4'

**Weight (N.W/G.W):**  
17 / 18 KGS, 1.54'

**RP-90A, PR-90AH:**

- ▶ 1 tube only
- ▶ **Applicable:**  
55 Gallon Drum.
- ▶ **Capacity:**  
280 c.c. per rotation.
- ▶ **Standard Packing:**  
1 PC/ Corrugated Box;  
6 PCS/CTN

**RP-91A**



+ hose

**RP-91AH**



**Wetted material:**  
Aluminum Alloy, PPS, NBR.  
**Weight (N.W/G.W):**  
12.5 / 13.5 KGS, 1.4'

**Weight (N.W/G.W):**  
12.5 / 13.5 KGS, 1.4'

**RP-91A, RP-91AH:**

- ▶ 3 suction tubes
- ▶ **Applicable:**  
5 to 55 Gallon Drum.
- ▶ **Capacity:**  
280 c.c. per rotation.
- ▶ **Standard Packing:**  
1 PC/ White Box;  
4 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Antifreeze
<b>ALL</b>	✓	✓	✓	✓

# METAL ROTARY PUMP

**HC-25**



**Weight (N.W/G.W):**  
31.5 / 32.5 KGS, 1.4'

**SB-25**



**With PE hose.**  
**Weight (N.W/G.W):**  
32 / 33 KGS, 1.54'

**ALL:**

**Wetted material:**  
Cast Iron, Steel.

**Capacity:**  
280 c.c. per rotation.

**HC-25, SB-25:**

- ▶ **1 tube**
- ▶ **Applicable:**  
55 Gallon Drum.
- ▶ **Standard Packing:**  
1 PC/ Color Box;  
6 PCS/CTN

**SHC-25**



**Weight (N.W/G.W):**  
22.5 / 23.5 KGS, 1.4'

**SSB-25**



**With PE hose.**  
**Weight (N.W/G.W):**  
22.5 / 23.5 KGS, 1.4'

**SHC-25, SSB-25:**

- ▶ **3 suction tubes**
- ▶ **Applicable:**  
5 to 55 Gallon Drum.
- ▶ **Standard Packing:**  
1 PC/ White Box;  
4 PCS/CTN

	Kerosene	Machine Oil	Low-Viscosity Lubricant
<b>ALL</b>	✓	✓	✓

# PISTON PUMP

**8806**



**Wetted material:**  
Plated component.  
**Weight (N.W/G.W):**  
24 / 26 KGS, 3.4'

**H-304SP/H-304ST  
H-316ST**



**H-304S Wetted material:**  
PP, 304SS.  
**H-304ST Wetted material:**  
PVDF/PTFE, 304SS.  
**H-316ST Wetted material:**  
PVDF/PTFE, 304SS,  
316SS.  
**Weight (N.W/G.W):**  
24.5 / 26.5 KGS, 3.4'

**RP-50P**



**RP-50P Wetted material:** FKM, PVC.  
**RP-50PH Wetted material:**  
Same as RP-50P; PE hose.  
**Weight (N.W/G.W):** 10 / 12 KGS, 3.4'

**RP-50PH**



**S-25**



**Wetted material:**  
Plated component,  
PP piston.  
**Weight (N.W/G.W):**  
18.5 / 19.5 KGS, 2.6'

**ALL: (not included S-25)**

- ▶ **Applicable:** 55 Gallon Drum
- ▶ **Capacity:** 500 c.c. per stroke.
- ▶ **Standard Packing:** 12 PCS/CTN

**S-25:**

- ▶ **Applicable:** 5.55 Gallon Drum
- ▶ **Capacity:** 240 c.c. per stroke.
- ▶ **Standard Packing:** 24 PCS/CTN

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water	Gasoline	Chemical	Alcohol	Vinegar
<b>S-25 8806</b>	✓	✓	✓			✗ ✓			
<b>H-304SP</b>	✓	✓	✓		✓				✓
<b>H-304ST</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>H-316ST</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>RP-50P(H)</b>	✓	✓	✓	△	✓	✓			

# METAL PISTON PUMP

8805G	8805ATF	8805D	8815G	8815ATF
5 Gallon Drum			15 Gallon Drum	
<b>Weight (N.W/G.W):</b> 21.5 / 22.5 KGS, 3.1'		<b>Weight (N.W/G.W):</b> 17 / 18 KGS, 1.6'	<b>Weight (N.W/G.W):</b> 21 / 22 KGS, 3.9'	
			<b>Weight (N.W/G.W):</b> 24 / 26 KGS, 3.9'	

**8805G, 8805ATF, 8805D, 8815G, 8815ATF:**

- ▶ **Wetted material:** Steel, Nylon.
- ▶ **Capacity:** 70 c.c. per stroke.
- ▶ **Standard Packing:** 1 PC/ Poly Bag ; 24 PCS/CTN

\*Item Number+"L": for extend to 120 MM of red pipe length.

RP-825	RP-835
<b>Applicable:</b> 5 Gallon Drum (20L)	<b>Applicable:</b> 15 Gallon Drum (60L)
<b>Capacity:</b> 300 c.c. per stroke.	<b>Capacity:</b> 500 c.c. per stroke.
<b>Standard Packing:</b> 1 PC/ White Box; 10 PCS/CTN	<b>Standard Packing:</b> 1 PC/ White Box; 6 PCS/CTN
<b>Weight (N.W/G.W):</b> 23 / 25 KGS, 3.5'	<b>Weight (N.W/G.W):</b> 16.9 / 18.9 KGS, 3'
5 Gallon Drum	15 Gallon Drum

**RP-825, RP-835:**

- ▶ **Wetted material:** Steel,Zinc Alloy,PE,PVC&NBR.

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant
8805G / 8805ATF / 8805D 8815G / 8815ATF	✓	✓	✓
RP-825 / RP-835		✓	✓

# SYPHON & WATER PUMP

**4A-HDPE**



**Applicable:** 55 Gallon Drum  
**Capacity:** 120 c.c. per stroke.  
**Standard Packing:**  
 1 PC/ Poly Bag; 32 PCS/CTN  
**Weight (N.W/G.W):**  
 13 / 14 KGS, 6.3'

**4A**



**Applicable:** 55 Gallon Drum  
**Capacity:** 80 c.c. per stroke.  
**Standard Packing:**  
 1 PC/ Poly Bag; 30 PCS/CTN  
**Weight (N.W/G.W):**  
 10.5 / 11.5 KGS, 4.6'

**1B**



**Applicable:** 5 Gallon Drum  
**Capacity:** 60 c.c. per stroke.  
**Standard Packing:**  
 1 PC/ Poly Bag; 100 PCS/CTN  
**Weight (N.W/G.W):**  
 7.6 / 9 KGS, 4.2'

4A-HDPE, 4A, 1B ▶ Wetted material: PE Component.

**JW-81**



**Material:** Steel, Aluminum, PVC  
**Capacity:** 0.13oz per push.  
**Standard Packing:**  
 1 PC/ BOX; 20 PCS/CTN  
**Weight (N.W/G.W):** 5.7/7.7KGS, 2.6'

**WP-2**



**Standard Packing:**  
 1 PC/ COLOR BOX; 24 PCS/CTN  
**Weight (N.W/G.W):**  
 7 / 8 KGS, 3.8'

**WP-3**



**Standard Packing:**  
 1 PC/ COLOR BOX; 12 PCS/CTN  
**Weight (N.W/G.W):**  
 10 / 11 KGS, 5.8'

	Diesel Fuel/ Kerosene	Machine Oil	Low-Viscosity Lubricant	Acid & Alkaline	Water
<b>4A-HDPE / 4A / 1B</b>	✓	✓	✓	✓	✓
<b>JW-81</b>		✓	✓		✓
<b>WP-2 / WP-3</b>					✓

# DRUM ADAPTORS

**PA01**



- Orange Color
- 2" BSP + 2" TRI-SURE (1"-11 thread + P4)
- Package: 504 pcs/ CTN/ 20Kgs/21Kgs,3.4'

**PA02**



- Yellow Color
- 2" BSP + DIN61 (1"-11 thread + P5.5)
- Package: 480 pcs/ CTN/ 19.1kgs/ 21.5 kgs/4.1'

**PA03**



- Blue Color
- 2" BSP + 2" Mauser (1"-11 thread + P5.5)
- Package: 504 pcs/ CTN/ 20Kgs/22Kgs,4.8'

**PA04**



- Black Color
- 2" Mauser (P5.5)
- Package: 210 pcs/ CTN/ 18.5kgs/ 19.5kgs/ 3'

**PA05**



- Black Color
- 2" BSP + 2" TRI-SURE (1"-11 thread + P4)
- Package: 500 pcs/ CTN/ 20kgs/ 21kgs/ 3.4'

**J/U**



- J: for USA drum
- U: for Japanese drum

**M**



- M: for PP drum

**E**



- E: for Recycle drum

# DRUM FAUCETS / WRENCHES

<p><b>JH-301</b></p>	<p><b>JH-302</b></p>	<p><b>JH-303</b></p>	<p><b>JH-304</b></p>
			
<p>2" BRASS HEAVY DRUM FAUCET 6 PCS / CTN / 17.5/18.5KGS / 1.2'</p>	<p>2" BRASS VENT 40 PCS / CTN / 17.9/18.9KGS/0.6'</p>	<p>3/4" BRASS DRUM BARREL FAUCET 40 PCS / CTN / 25/26KGS / 1.65'</p>	<p>3/4" BRASS ADJUSTABLE FAUCET 40 PCS / CTN / 24/25KGS / 1.65'</p>
<p><b>JH-305</b></p>	<p><b>JH-306</b></p>	<p><b>JH-308</b></p>	<p><b>JH-309</b></p>
			
<p>3/4" STAINLESS STEEL ADJUSTABLE FAUCET 40 PCS / CTN / 26.1/27.1/1.65'</p>	<p>DUCTILE UNIVERSAL DRUM PLUG WRENCHES 12 PCS / CTN / 14.5/15.5KGS / 1.6'</p>	<p>BRASS NON-SPARKING DRUM PLUG WRENCHES 24 PCS / CTN / 19.8/20.8/1.5'</p>	<p>BRASS NON-SPARKING DRUM PLUG WRENCHES 24 PCS / CTN / 19/20KGS / 1.8'</p>
<p><b>JH-311</b></p>	<p><b>JH-312</b></p>	<p><b>JH32-0102</b></p>	<p><b>JH32-0103</b></p>
			
<p>ZINC DIE CAST FAUCETS WITH SCREEN 80 PCS / CTN / 19/20KGS / 1.65'</p>	<p>ZINC DIE CAST FAUCETS WITHOUT SCREEN 80 PCS / CTN / 18.5/19.5KGS / 1.65'</p>	<p>DUCTILE UNIVERSAL DRUM PLUG WRENCHES 12 PCS / CTN / 20/21KGS / 1.3'</p>	<p>BRASS NON-SPARKING DRUM PLUG WRENCHES 12 PCS / CTN / 20.9/21.9KGS / 1.3'</p>



**CASH JING** 

**JAAN-HUEI INDUSTRIAL CO., LTD**

Since 1987

JAAN-HUEI INDUSTRIAL CO., LTD

CHEWREN

CHEWREN

LEVER ACTION DRUM PUMP  
PISTON PUMP



L-P490  
JAAN-HUEI



www.hand-pump.com.tw

HIGH FLOW PUMP (PLASTIC)  
PLASTIC ROTARY PUMP



HIGH FLOW PUMP  
ALUMINUM ROTARY PUMP



**CASH JING**   
**JAAN-HUEI**  
www.hand-pump.com.tw  
MADE IN TAIWAN

No. 328, Keliao Rd., Longjing Dist.,  
Taichung City 434, Taiwan

Website: www.hand-pump.com.tw

E-mail: jaan.huei@msa.hinet.net